



**CIBO+ CIBO COUNTER-TOP FAST OVEN - STAINLESS STEEL FRONT
- W 437MM - 2.7 KW**

MODEL: CIBO/S



An innovative fast oven, which can produce a wide range of perfectly-cooked food in less than three minutes. Able to cook, toast and reheat multiple fresh and frozen foods, CiBO's versatility provides a full cooking platform for outlets, enabling them to expand menus, deliver food of a consistent high quality and maximise profit.

CiBO uses a patented combination of three different heat sources – convection, grill and a heated base – to deliver fast results. Space-saving and compact, it operates from a 13-amp plug and is ventless.

Clear icons and an easy-to-use touchscreen mean

PRODUCT OPTIONS AND ACCESSORIES

- CIBO/BT CIBO BAKING TRAY
- CIBO/PLCIBO PLINTH
- CIBO/SK STACKING KIT FOR CIBO
- CIBO/USB USB STICK FOR CIBO
- CIBO/WB WALL BRACKET FOR CIBO
- LT01 LOADING TOOL
- SH136 CIBO SHELF
- TFS05 TEFLON SHEET
- CIBO/TT TEFLON TRAY
- CIBO/BRTVBRANDNG TRAY
- NSBT23 NON-STICK BAKING TRAY

PRODUCT FEATURES

- Innovative fast oven - produce a wide range of perfectly-cooked food in less than three minutes
- Patent-pending- combination of three different heat sources – convection, -grill and a heated base, to deliver fast results
- Cook, toast and reheat, fresh and frozen foods
- Space-saving- and compact
- Plug- and play - on a 3-pin 3kW UK plug-
- Ventless cooking- - catalyst technology removes the need for external extraction
- Clear icons and an easy-to-use touchscreen
- Great versatility - replace your panini grill, toaster, convection oven and -grill

AIA FILE NUMBER:

ITEM NUMBER:



CIBO+ CIBO COUNTER-TOP FAST OVEN - STAINLESS STEEL FRONT - W 437MM - 2.7 KW

MODEL: CIBO/S

WEIGHTS & DIMENSIONS

Width	437 mil
Depth	616 mil
Height	367 mil
Weight	31.4 kg

SHIPPING DETAILS

Ship Width	81.3 cm
Ship Depth	68.5 cm
Ship Height	65.5 cm
Ship Weight	34.54 kg
Number of Shipment Parcels	1
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Electric	Electrical Plug Type	UK 3-Pin Plug
Electrical Total Amperage	11.7 A	Number of Electrical Plugs	1
Electrical Volts	230V	Electrical Connection Type	Cord and Plug
Electrical Total Wattage	2700 W	Number of Electrical Conductor Wires	1
Electrical Kilowatts	2.7 kW	Electrical Remarks	Single
Electrical Phase	1-Phase		

ADDITIONAL SPECIFICATIONS

Bottom Cooking Chamber Cooking Method	Neo Ceram Heated Base	Middle Cooking Chamber Cooking Method	Convection
Control Type	Electronic, Touchscreen	Oven Power Rating	1.8 kW
Cooking Area Plate Depth	355 mm	Oven Size (volume)	12 l
Cooking Area Plate Width	340 mm	Oven Temperature Maximum	290 °C
Cooking Chamber Depth	355 mm	Oven Temperature Minimum	30 °C
Cooking Chamber Height	95 mm	Pizza Sizes Accommodated	1 x 12"
Cooking Chamber Width	340 mm	Temperature Maximum	290 °C
Gastronorm Capacity	1 x GN2/3	Temperature Minimum	30 °C
Heated Base	Yes	Top Cooking Chamber Cooking Method	Grill

CiBO+ reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
October 30, 2024






CIBO+ CIBO COUNTER-TOP FAST OVEN - STAINLESS STEEL FRONT
- W 437MM - 2.7 KW

MODEL: CIBO/S

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING



CiBO+ reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
October 30, 2024